

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Paul E. Amundsen, Maureen Buonpane, Doug Andrews and Jordan Jacobs  
Application No.: 10/608,851 Group: 3744  
Filed: June 27, 2003 Examiner: Doerrler, William Charles  
Confirmation No.: 8740

For: INTEGRATION OF AUTOMATED CRYOPUMP SAFETY PURGE

CERTIFICATE OF MAILING OR TRANSMISSION

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as First Class Mail in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, or is being facsimile transmitted to the United States Patent and Trademark Office on:

10/21/2004 *Loretta A. Boudreau*  
Date Signature  
*LORETTA A. BOUDREAU*  
Typed or printed name of person signing certificate

PETITION FOR EXTENSION OF TIME

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

Applicant hereby petitions the Commissioner for Patents to extend the time for filing an Amendment to the Office Action dated July 12, 2004 for one month from October 12, 2004 to November 12, 2004 under 37 C.F.R. § 1.136(a).

	<u>Small Entity</u>	<u>Other than Small Entity</u>
1 month -	\$ 55	X \$ 110
2 months -	\$ 215	\$ 430
3 months -	\$ 490	\$ 980
4 months -	\$ 765	\$1,530
5 months -	\$1,040	\$2,080

- [X] A check is enclosed in the amount of the extension fee indicated above, or the extension fee has been included in the check with the accompanying Reply.  
[ ] Please charge Deposit Account No. 08-0380 in the amount of \$[ ] to cover the cost of the extension fee.

Any deficiency or overpayment should be charged or credited to Deposit Account No. 08-0380. A copy of this letter is enclosed for accounting purposes.

Respectfully submitted,

HAMILTON, BROOK, SMITH & REYNOLDS, P.C.

By *James M. Smith*  
James M. Smith  
Registration No. 28,043  
Telephone (978) 341-0036  
Facsimile (978) 341-0136

10/27/2004 FMETEKI1 00000010 10608851

02 FC:1251

110.00 OP

Concord, Massachusetts, 01742-9133

Dated: 10/21/04